



in which A is in each case a group of formula:



III

and B is in each case a group of formula:



IV

wherein R^1 , R^2 and R^3 each, independent of one another, are hydrogen or a bond to a group B with the proviso that each group A has either one or two bonds to group B; (i) R^4 and $R^{4'}$, and (ii) R^5 and $R^{5'}$ each, independent of one another, are either together a direct bond or are hydrogen and a bond to a group A, with the proviso that each group B has either one or two bonds to group A; the indices m and n are 0 or 1 and x is an integer from 0 to 10, with the proviso that at least one of the numbers m , n , and x is other than 0 and m and n are not both at the same time 1;

(II) a mixture of at least two unsaturated oligophenol cyanates of formula I; and

*D1
cancel*
(III) a mixture of at least one unsaturated oligophenol cyanate of formula I and at least one compound of formula I in which n and m deviate from the above definitions by both being 1.


Please insert new Claim 21, as follows:

21. At least one unsaturated oligophenol cyanate selected from the group consisting of:

(I) an unsaturated oligophenol cyanate of the formula:




D2 in which A is in each case a group of formula:




III

and B is in each case a group of formula:



IV

wherein R^1 , R^2 and R^3 each, independent of one another, are hydrogen or a bond to a group B with the proviso that each group A has either one or two bonds to group B; (i) R^4 and $R^{4'}$, and (ii) R^5 and $R^{5'}$ each, independent of one another, are either together a direct bond or are hydrogen and a bond to a group A, with the proviso that each group B has either one or two bonds to group A; the indices m and n are 0 or 1 and x is an integer from 0 to 10, with the proviso that at least one of the numbers m , n , and x is other than 0 and m and n are not both at the same time 1; (II) a mixture of at least two unsaturated oligophenol cyanates of formula I; and (III) a mixture of at least one unsaturated oligophenol cyanate of formula I and at least one unsaturated oligophenol cyanate of formula:



in which A'' is in each case a group of formula II and B'' in each case is a group of formula III, wherein R^1 , R^2 and R^3 each, independent of one another, are

D2 could
hydrogen or a bond to a group B" with the proviso that each group A" has either one or two bonds to group B"; (i) R⁴ and R^{4'}, and (ii) R⁵ and R^{5'} each, independent of one another, are either together a direct bond or are hydrogen and a bond to a group A", with the proviso that each group B" has either one or two bonds to group A"; the indices *m* and *n* are each 1 and *x* is an integer from 0 to 10.

In the Specification:

In accordance with 37 C.F.R. 1.121, please substitute for the original paragraph on page 2, lines 21 to 25, the following revised version of the paragraph on page 2, lines 21 to 25, as amended, please substitute for the original paragraph on page 2, line 32, to page 3, line 16, the revised version of the paragraph on page 2, line 32, to page 3, line 16, as amended, and insert the following paragraph on page 4, between line 7 and line 8. The changes made are shown explicitly in the attached "Version With Markings To Show Changes Made".

Please substitute for the original paragraph on page 2, lines 21 to 25, the following revised version of the paragraph on page 2, lines 21 to 25, as amended:

D3
In accordance with the invention this object is achieved by the unsaturated oligophenol cyanates of the formula I of the invention. The molecule of these compounds has at least one olefinic double bond (R⁴-R^{4'} and/or R⁵-R^{5'} according to the formula I) which permits free-radical addition polymerization.
